


# Community Wildlife Group Areas 2020, Overlain on Shropshire Bird Atlas Map

## Curlew: Breeding Season Distribution (2008-2013)



Group	Area		First Year	Curlew			Curlew		
	Survey squares (tetrads)	(sq. kms.)		Breeding Pairs (2019)		% decline since First Year	Breeding Pairs (2020)		% decline since First Year
				Min	Max		Min	Max	
1 Upper Onny	31.5	125	2004	27	32	31	28	31	30
2 Upper Clun	31	110	2007	6	10	60	6	8	67
3 Clee Hill	20	80	2012	7	7	46	8	8	38
3a Clee Hill (extension)	4 *	16	2019	6	6	n/a	6	6	n/a
4 Rea Valley	25.5	102	2014	9	10	n/a	10	10	10
5 Camlad Valley	11 **	44	2014	3	3	n/a	5	7	n/a
6 Strettons area	30	120	2017	5	8	n/a	7	9	11
7 Three Parishes	28	107	2017	3	4	n/a	1	1	n/a
8 Tanat to Perry (Oswestry south)	43	172	2018	15	19	n/a	9	17	n/a
9 Severn-Vyrnwy Confluence	27	108	2018	5	6	n/a	3	4	n/a
10 Abdon	16 *	64	2018	8	10	n/a	10	10	n/a
<b>Total</b>	<b>267</b>	<b>1048</b>		<b>94</b>	<b>115</b>		<b>93</b>	<b>111</b>	

Orange highlight = 3 CWGs incorporating "Curlew Country" area (76 tetrads)

\*\* Area also includes 9 tetrads mainly in Wales (Camlad CWG = 20 tetrads), with 2-3 pairs of Curlew

\* In 2019, Clee Hill took on an additional 4 tetrads to the west, and Abdon took on an additional 7 tetrads to the west and south, to close the gap between the two areas, and cover additional squares with known Curlew populations.

Some CWG areas include part-tetrads, so the total area is less than the numbers of (whole or part) squares X 4

2020 surveys in CWGs 7-9 severely curtailed by Covid-19 lockdown restrictions.

Results in other areas were improved by people being at home.

